THE CITY OF TEA TREE GULLY

› Technical Specifications

CIVIL INFRASTRUCTURE

DESCRIPTION: CWMS- TRENCH AND BACKFILL DETAILS

CODE: CIV24 02/05/2025

APPLICATIONS

- Regional
- District
- Neighbourhood
- Local
- Main Roads
- Local Roads


PERFORMANCE CRITERIA

IMAGE/S


Images are indicative of the style, not a specific brand. Council's procurement policy must be followed when selecting and purchasing items.

CITY OF TEA TREE GULLY

MATERIALS	
FINISHES	
COLOURS	
SIZE (INDICATIVE)	
VARIATIONS	
OPTIONS	
INSTALLATION INSTRUCTIONS	Pipes to be located centrally in trench. Trench base to be firm and to have constant grade. Uneven trenches are NOT acceptable. Dewater trench during construction.
DDA (Universal design principles)	
MAINTENANCE	
ENVIRONMENTAL	
EXPECTED LIFESPAN / END OF LIFE REPLACEMENT	
FURTHER INFORMATION	
OTHER INFORMATION	
RELEVANT STANDARDS	



TYPICAL TRENCH AND BACKFILL -
BACKFILL - NO GROUNDWATER



TYPICAL TRENCH AND
IN GROUNDWATER