THE CITY OF TEA TREE GULLY

› Technical Specifications

CIVIL INFRASTRUCTURE

DESCRIPTION: PITS & DRAINAGE - STORMWATER DOUBLE SIDE ENTRY PIT 1900MM INLET

CODE: CIV09 30/04/2025

APPLICATIONS


Regional	●
District	●
Neighbourhood	●
Local	●
Main Roads	●
Local Roads	●

PERFORMANCE CRITERIA

IMAGE/S


Images are indicative of the style, not a specific brand. Council's procurement policy must be followed when selecting and purchasing items.

MATERIALS	
FINISHES	
COLOURS	
SIZE (INDICATIVE)	
VARIATIONS	
OPTIONS	
INSTALLATION INSTRUCTIONS	Channel depth transition to be increased to 1200mm both sides at low point (SAG) locations.
DDA (Universal design principles)	
MAINTENANCE	
ENVIRONMENTAL	
EXPECTED LIFESPAN / END OF LIFE REPLACEMENT	
FURTHER INFORMATION	Refer to Technical Specification SUR08 Kerbs for kerb details.
OTHER INFORMATION	
RELEVANT STANDARDS	




PLAN


CITY OF TEA TREE GULLY



SECTION A-A



SECTION B-B



SECTION C-C

CITY OF TEA TREE GULLY