THE CITY OF TEA TREE GULLY

› Technical Specifications

CIVIL INFRASTRUCTURE

DESCRIPTION: PITS & DRAINAGE - DRAIN STORMWATER ALLOTMENT TO KERB AND CHANNEL CONNECTION

CODE: CIV19 07/05/2025

APPLICATIONS


Regional	●
District	●
Neighbourhood	●
Local	●
Main Roads	●
Local Roads	●

PERFORMANCE CRITERIA

IMAGE/S


Images are indicative of the style, not a specific brand. Council's procurement policy must be followed when selecting and purchasing items.

MATERIALS	
FINISHES	
COLOURS	
SIZE (INDICATIVE)	
VARIATIONS	
OPTIONS	Proprietary galvanised 'top hat' section is suitable alternative.
INSTALLATION INSTRUCTIONS	Location of house drains within property boundary to be marked with an approved tape tied to extend through finish surface for easy location by builders. PM220 QG or dolomite sand backfill to be used.
DDA (Universal design principles)	
MAINTENANCE	
ENVIRONMENTAL	
EXPECTED LIFESPAN / END OF LIFE REPLACEMENT	
FURTHER INFORMATION	Refer Technical Specification SUR08 for details of Kerb Adaptor.
OTHER INFORMATION	
RELEVANT STANDARDS	




PLAN VIEW


* DISTANCE TO KERB MAY VARY.



ALTERNATE PLAN VIEW




TYPICAL CROSS SECTION




LONGITUDINAL SECTION


(BLOCK PAVED FOOTPATH NOT SHOWN)




TYPICAL SHS CROSS SECTION




CITY OF
TEA TREE GULLY




CITY OF TEA TREE GULLY



PLAN VIEW



SIDE ELEVATION



END ELEVATION

CITY OF
TEA TREE GULLY