THE CITY OF TEA TREE GULLY

› Technical Specifications

CIVIL INFRASTRUCTURE

DESCRIPTION: PITS & DRAINAGE - STORMWATER ALLOTMENT CONNECTION IN EASEMENT DETAIL

CODE: CIV21 01/05/2025

APPLICATIONS


- Regional
- District
- Neighbourhood
- Local
- Main Roads
- Local Roads

PERFORMANCE CRITERIA

IMAGE/S


Images are indicative of the style, not a specific brand. Council's procurement policy must be followed when selecting and purchasing items.

MATERIALS	All stormwater Pipes to be sewer class.
FINISHES	
COLOURS	
SIZE (INDICATIVE)	
VARIATIONS	
OPTIONS	
INSTALLATION INSTRUCTIONS	Minimum cover to pipes to be 300mm.
DDA (Universal design principles)	
MAINTENANCE	
ENVIRONMENTAL	
EXPECTED LIFESPAN / END OF LIFE REPLACEMENT	
FURTHER INFORMATION	
OTHER INFORMATION	
RELEVANT STANDARDS	



SIDE ELEVATION

CITY OF TEA TREE GULLY


600 SQUARE
FINISHING COLLAR AND GRATE OR SCREW ON CAP AND CONCRETE FRAME AND I.P. COVER AS REQUIRED BY COUNCIL.
PRECAST CONCRETE SURROUND WITH REMOVABLE PVC GRATE
100
300 MINIMUM - 500 MAXIMUM
500
VARIES (600 MIN.)
Ø150
90° JUNCTION
'T'
SCREW - ON CAP FOR FUTURE HOUSE CONNECTION
100mm DIAMETER (NOMINAL) CONNECTION. 1:60 GRADE MINIMUM
TAPER AS REQUIRED
MAIN THROUGH DRAIN Ø150 MIN.

SECTION A - A