THE CITY OF TEA TREE GULLY

› Technical Specifications

CIVIL INFRASTRUCTURE

DESCRIPTION: CWMS- NEW CONNECTION EXISTING OF MAINS

CODE: CIV25 05/05/2025

APPLICATIONS

- Regional
- District
- Neighbourhood
- Local
- Main Roads
- Local Roads

PERFORMANCE CRITERIA

IMAGE/S

Images are indicative of the style, not a specific brand. Council's procurement policy must be followed when selecting and purchasing items.

CITY OF TEA TREE GULLY

MATERIALS	All materials to be SA Water approved for wastewater.
FINISHES	
COLOURS	
SIZE (INDICATIVE)	
VARIATIONS	
OPTIONS	Works to be undertaken by accredited plumbers. Plumber to complete and have approved permit to undertake works on Council infrastructure.
INSTALLATION INSTRUCTIONS	Prior to cutting into main, plumber to have expander joint, tee and flushing point (if req'd) prepared to allow for minimum disturbance to flow in existing main. Install expander joint, tee and flushing point in accordance with manufacturers recommendations and Council details. Wrap expander joint in Denso tape. All cut in's shall have the Denso tape coated with copper sulphate and rewrapped with Duct tape.
DDA (Universal design principles)	
MAINTENANCE	
ENVIRONMENTAL	
EXPECTED LIFESPAN / END OF LIFE REPLACEMENT	
FURTHER INFORMATION	Plumber to make arrangements to manage existing effluent flow, including all neccessary safety precautions, to EPA requirements.
OTHER INFORMATION	
RELEVANT STANDARDS	

